## **USING SENVELGO® IS**

## DIFFERENT TO INSULIN

Treating diabetes in cats with Senvelgo® is different to treating with insulin, with both medical and practical benefits. Cats usually show improvement in glycaemic control shortly after starting Senvelgo®, with reduction of elevated blood glucose usually seen within a week.<sup>1,2</sup>

Using Senvelgo® also has many practical differences compared to insulin treatment:

|  | Senvelgo°                              | Insulin                                   |
|--|--|---|
| Formulation                                | Flavoured oral liquid                  | Injectable solution                       |
| Dosing                                     | Fixed dose per kg bodyweight (1 mg/kg) | Dose needs to be individually established |
| Treatment frequency                        | Once daily                             | Twice daily in most cats                  |
| Bottle duration*                           | A 30 ml bottle lasts for 3 months      | A 10 ml vial lasts for 2 months           |
| Syringe                                    | Reusable oral syringe                  | Single use disposable syringes            |
| Number of syringes used every 3 months     | 1*                                     | 180**                                     |
| Sharps disposal required                   | No                                     | Yes                                       |
| Glucose curves required for stabilisation? | Not required                           | Often required                            |
| Storage                                    | No special storage conditions          | Refrigerated                              |
| In-use shelf life                          | 6 months                               | Up to 60 days (ProZinc®)                  |

<sup>\*</sup>Based on 5 kg cat receiving median dose of 0.6 IU/kg 40 IU/ml insulin twice daily. \*\*Assuming one syringe per twice daily injection