

MONITORING

YOUR CAT'S DIABETES

Your cat's name:
Dose of Senvelgo®:
Please check whether your cat has ketones by testing their urine or blood every
weeks/months. If your cat is ever unwell please contact your vet.

Date	Ketones present?		Does your cat seem well?*	
	Yes	No	Yes	No
	Yes	No	Yes	No
	Yes	No	Yes	No
	Yes	No	Yes	No
	Yes	No	Yes	No
	Yes	No	Yes	No
	Yes	No	Yes	No
	Yes	No	Yes	No

Date	Ketones present?		Does your cat seem well?*	
	Yes	No	Yes	No
	Yes	No	Yes	No
	Yes	No	Yes	No
	Yes	No	Yes	No
	Yes	No	Yes	No
	Yes	No	Yes	No
	Yes	No	Yes	No
	Yes	No	Yes	No
	Yes	No	Yes	No
	Yes	No	Yes	No
	Yes	No	Yes	No

^{*}If your cat is well they should be interacting normally, eating, drinking and not vomiting, losing weight unexpectedly or sleeping more than usual.

If your cat ever has ketones present or seems unwell at any time then stop Senvelgo® and contact your vet immediately.



Want more tips on managing your cat's diabetes with Senvelgo®?

Scan the QR code below or visit **senvelgo.pet** to watch a video on how to give Senvelgo® and to access further information



Servelgo* contains velaglifiozin (sodium-glucose co-transporter 2 [SGLT-2] inhibitor). UK(NI): POM-V IE: POM. Advice should be sought from the prescriber. Further information available in the SPC or from Boehringer Ingelheim Animal Health UK Ltd., RG12 8YS, UK. UK(NI) Tel: 01344 746957, IE Tel: 01 291 3985. Email: vetenquiries@boehringer-ingelheim.com. Senvelgo* is a registered trademark of Boehringer Ingelheim Vetmedica GmbH, used under licence. ©2024 Boehringer Ingelheim Animal Health UK Ltd. All rights reserved. Date of preparation: Mar 2024. UI-PET-0033-2024. Use Medicines Responsibly.

